Product End of Life Instructions


EP MVS CB 1600A 50kA 3P EDO 240VAC ETA6 drawout electrical circuit breaker







End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	39.111	ELA & ELAV PCB
To be depolluted	2	Electronic Board (Communication) > 10cm ²	9.336	PLUG CEI STD PCBA
To be depolluted	3	Electronic Board (Communication) > 10cm ²	41.158	PCBA MNMX 220V NOMOV
To be depolluted	4	Electronic Board (Communication) > 10cm ²	101.883	PROXIMA CT BRIDGE WITHOUT CONNECTOR PCBA
To be depolluted	5	battery	9.6	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The EasyPact MVS Air Circuit Breaker range is designed to guarantee the protection of electrical distribution systems
Product reference	MVS16N3NW6A
Total representative product mass	30000 g
Representative product dimensions	439mm x 441mm x 395mm
Accessories	No
Date of information release	08/2022



M Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.			
In case of special transportation method	No			
Recyclability potential	84%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).		

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI2206022_V1

© 2019 - Schneider Electric - All rights reserved

08/2022