

PRODUCT-DETAILS

CA26B

CA26B ComfortLine Compact distribution board, Surface-mounted, 144 SU, Isolated (Class II), IP30, Field Width: 2, Rows: 6, 950 mm x 550 mm x 160 mm



Informations générales

Extension du type de produit	CA26B
Code de produit	2CPX052170R9999
EAN	4011617521709
Description courte	CA26B ComfortLine Compact distribution board, Surface-mounted, 144 SU, Isolated (Class II), IP30, Field Width: 2, Rows: 6, 950 mm x 550 mm x 160 mm
Description longue	Compact distribution board, empty cabinet, for the internal use, without door, class of protection II (double insulated), in combination with earthing set (accessory) we can achieve protection class 1, degree of protection IP30, applicable standards: EN 61439-1, EN 61439-3, Rated operational voltage 400V AC 50/60 Hz, rated current 125 A, Powder-coated, in RAL 9016, enclosure out of sheet steel, without door, cable entry on top via membrane flange mounted, on bottom via flange opening pre-punched, dimensions in mm (H x W x D): 950 x 550 x 160, Grid unit 6 GU, panel width 2, Space units 144, without N/PE without terminal, cable fastening rail integrated, pre-assembled for installation of modules and CombiLine Modules

Technique

Normes et standards	DIN EN 61439-3
Tension	Maximum 400 V
Operational Voltage	400 V
Courant nominal (I_n)	125 A
Power Loss	$\Delta t = 20K 69.3 W$

$\Delta t = 25K$ 91.5 W
 $\Delta t = 30K$ 114.8 W

Number of Rows	6
Configuration Type	pre-assembled for installation of modules and Combiline Modules
Cover Plate Type	optional
Type de boîtier	compact distribution boards
Type de montage	Surface-mounted
Door Type	Without Door
Finition de surface	Powder-coated
Qualité du matériau	Steel
Style de cache	Closed
DIN Place Units	144
RAL Number	RAL 9016 - Blanc signalisation
Couleur	Traffic white
Type de borne	Quick-Terminal

Environnement

Indice de protection	IP30
Classe de protection	Isolated (Class II)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	9AKK107680A4771
REACH Declaration	2CPC100005X0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	24
Produit Largeur Net	550 mm
Produit Hauteur Net	950 mm
Produit Longueur Net	160 mm
Poids net	9.828 kg
Profondeur d'encastrement (t_2)	0 mm

Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	pack 1 pièce
Emballage Niveau 1 Poids	10.221 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité	9AKK107680A4771
---------------------------	-----------------

- CE

Installation

Instructions et manuels

2CPC133150M5601

Popular Downloads

Fiche produit, informations
techniques

2CPC000001C0101

2CPC000002C0101

2CPC000377C0101

Building Information
Modeling – BIM

9AKK107680A4427;9AKK107680A4426

Classifications

ETIM 8

EC000214 - Small distribution board

ETIM 9

EC000214 - Small distribution board

Catégorie DEEE

Product Not in WEEE Scope

DEEE B2C / B2B

Business To Consumer

CN8

85381000

eClass

V11.0 : 27142409

Code de classification
d'objet

U

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX052449R9999	CZL61 ComfortLine Compact CA Enclosure accessories, 15 mm x 200 mm x 300 mm	CZL61	1	piece
2CPX052556R9999	CZ9P16 ComfortLine Interior fitting system, 26 mm x 18.2 mm x 94 mm	CZ9P16	1	piece
2CPX052328R9999	CTB26S ComfortLine Door, IP44, Field Width: 2, 921 mm x 521 mm x 14 mm	CTB26S	1	piece
2CPX052354R9999	CTT23S ComfortLine Door, IP44, Field Width: 2, 471 mm x 521 mm x 14 mm	CTT23S	1	piece
2CPX052381R9999	CTL26S ComfortLine Door, IP30, Field Width: 2, 921 mm x 521 mm x 14 mm	CTL26S	1	piece
2CPX052395R9999	CTW26S ComfortLine Door, IP30, 921 mm x 521 mm x 14 mm	CTW26S	1	piece
2CPX052462R9999	CZ4 ComfortLine Accessory cabinet connection, 20.5 mm x 204 mm x 87 mm	CZ4	1	piece
2CPX052460R9999	CZ2 ComfortLine Accessory cabinet connection, 30 mm x 50 mm x 13 mm	CZ2	1	piece
2CPX052459R9999	CZ1P4 ComfortLine Accessory cabinet assembly, 130 mm x 40 mm x 20 mm	CZ1P4	1	piece
2CPX052457R9999	ZK221 Terminals	ZK221	1	piece
2CPX052456R9999	ZK19 ComfortLine Terminal carrier, 20 mm x 205.5 mm x 15 mm	ZK19	1	piece
2CPX052437R9999	CZF3 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF3	1	piece
2CPX052438R9999	CZF4 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF4	1	piece
2CPX052453R9999	CZB116 ComfortLine Compact CA Interior fitting system, 900 mm x 84.5 mm x 7 mm	CZB116	1	piece

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux Divisionnaires → Compact Distribution Boards - Modules Assembled → ComfortLine Compact CA

