



CorePro LEDcapsule MV



CorePro LEDcapsule 1.9-25W ND G9 830

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information	
Cap-Base	G9
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	320 degree(s)
Luminous Flux	220 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	115 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG0


Operating and Electrical	
Input Frequency	50 to 60 Hz
Power Consumption	1.9 W
Lamp Current (Nom)	17 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	92 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	G9

CorePro LEDcapsule MV

Net Weight (Piece)	0.006 kg
Approval and Application	
Energy Efficiency Class	E
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	2 kWh
EPREL Registration Number	1932587
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 to +45 °C

Application Conditions	
can it be used in closed luminaires	No



Dimensional drawing



Product Data	
Order product name	CorePro LEDcapsule 1.9-25W ND G9 830
Full product name	CorePro LEDcapsule 1.9-25W ND G9 830
Full product code	872016930183200
Order code	929003790602
Material Nr. (12NC)	929003790602
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169301832
Numerator - Packs per outer box	12
EAN/UPC - Case	8720169301849

Product	D	C
CorePro LEDcapsule 1.9-25W ND G9 830	14 mm	43 mm

Photometric data




General uniform lighting - CorePro LEDcapsule 1.9-25W ND G9 830

Light Distribution Diagram - CorePro LEDcapsule 1.9-25W ND G9 830

CorePro LEDcapsule MV

Photometric data




Spectral Power Distribution Colour - CorePro LEDcapsule 1.9-25W ND G9 830

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - CorePro LEDcapsule 1.9-25W ND G9 830

